

BULL MOOSE IS DRIVING INTO PILING

Steel Pipe Pile to meet **ASTM A252 specifications** — and your high standards.

KNOWLEDGEABLE • ACCESSIBLE • ADAPTABLE

For more than 60 years, Bull Moose has provided steel components for major infrastructure projects. We're now ready to serve as a reliable supplier for your pipe pile jobs.

Our 350,000 ton per year production facility in Sinton, Texas gives you a new, responsive source for quality pipe pile up to 18" diameter. Our operation is located on the Texas gulf coast, giving you shipping options that include rail, barge and truck, which you can choose based on your budget and timeline.

Pipe Size	O.D.	Wall Thickness (inches)						Weight Per Foot (lbs)				
6	6.625	0.187	0.250	0.280	0.312	0.375	0.432	0.500	0.562	0.625		
		12.870	17.037	18.992	21.056	25.055	28.600	32.738	36.425	40.088		
8	8.625	0.187	0.250	0.312	0.322	0.375	0.406	0.500	0.593	0.625	0.718	0.750
		16.868	22.382	27.726	28.580	33.072	35.672	43.428	50.916	53.450	60.690	63.138
10	10.750	0.187	0.250	0.312	0.365	0.375	0.500	0.593	0.625	0.718	0.750	
		21.116	28.061	34.814	40.521	41.591	54.786	64.387	67.648	77.000	80.175	
12	12.750	0.219	0.250	0.312	0.375	0.406	0.500	0.562	0.625	0.687	0.750	
		29.336	33.406	41.484	49.608	53.575	65.476	73.223	81.010	88.591	96.210	
14	14.000	0.219	0.250	0.312	0.375	0.437	0.500	0.593	0.625	0.750		
		32.263	36.747	45.653	54.619	63.360	72.158	84.989	89.362	106.232		
16	16.000	0.219	0.250	0.312	0.375	0.500	0.625	0.656	0.750			
		36.945	42.092	52.324	62.637	82.848	102.724	107.602	122.267			
18	18.000	0.250	0.312	0.375	0.437	0.500	0.562	0.625	0.750			
		47.437	58.994	70.654	82.046	93.538	104.764	116.087	138.302			

**Inquire for custom gauges*

The ASTM A252/A252M-19 specification serves as the industry standard for steel pipe piles in which the steel cylinder acts as a permanent load-carrying member, or as a shell to form cast-in-place concrete piles.

- GRADES:**
2, 3, and 3 (modified)
- DIAMETER RANGES:**
6.625"–18"
- YIELD STRENGTH:**
35,000 psi min. (Grade 2)
45,000 psi min. (Grade 3)
Up to 100,000 psi
- TOLERANCES:**
WEIGHT: +15% / -5%
WALL THICKNESS: -12.5%
OD: +/- 1%
LENGTHS: Up to 80'

For exceptional strength.

800.325.4467 | BullMooseTube.com



Visit Our Website



BULL MOOSE
TUBE